


BHLX3-00-160X240-X-G-24V

Lighting Dimension



Mechanical Information				
Casing Material	Aluminium			
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%			
Weight	860 g			
Length / Outer Diameter	276 mm			
Width / Inner Diameter	178 mm			
Thickness / Height	30 mm			



BHLX3-00-160X240-X-G-24V

Optical Information						
Part Number	BHLX3-00-160X240-X-G-24V					
LED Color			GREEN			
Wavelength	(nm)					
Intensity (±15%)	(Lux)					
Working Distance	(mm)	10	20	30		
Illumination (number of row)	(111111)	10	X	30		
Illumination Active Area			^			
Active Length / Outer Diameter	(mm)		240			
Active Width / Inner Diameter			160			
	(mm)		0			
Emission angle Eye Safety Class (IEC62471)	(deg.)		EXEMPT			
-ye dalety class (ILCO2471)						
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)	l	24V ± 2%				
Continuous Current	(mA)					
Power Consumption	(mA) (W)					
Lighting casing temperature,	(44)	(W) 25.32				
Operating after 60 minutes	°C	°C TBA				
operating after 00 minutes		IBA				
Strobe Mode Specification						
Pulse Operation	YES					
Max. Lighting Supply Voltage		Pulsing at 24VDC to 48VDC 0-10% Duty Cycle				
(Constant voltage power supply)	(V)	(V) Recommended at 36VDC				
Pulse Current, (Max. 10msec)						
(Constant current power supply)	(mA) 3240					
Max. Trigger Pulse Duration	(msec) 10					
Duty Cycle	0-10%					
Additional Information						
Additional Cooling Method	Attached to machine part for better heat dissipation					
Intensity Controller Selection	ANG, ST, SD and SDA Series					
CE Conformity	YES					
RoHS Compliance	YES					
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)	<u>.</u> .	500			
Pin Configuration :	<u> </u>	Pin	Signal	Cable Color		
	<u> </u>	1	LED+	RED		
	<u> </u>	2	N.C.			
		3	LED -	WHITE		
		<u> </u>				
Application						
Illumination Type	Backlight Illumination					
Applicattion Use		Lead frame inspection, shape recognition, size measurement				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

