


BHLX3-00-160X240-X-IR850-24V



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	860 g
Length / Outer Diameter	276 mm
Width / Inner Diameter	178 mm
Thickness / Height	30 mm



BHLX3-00-160X240-X-IR850-24V

Optical Information							
Part Number		BHLX3-00-160X240-X-IR850-24V					
LED Color			IR				
Wavelength	(nm)		850				
Intensity (±15%)	(Lux)		NA				
Working Distance	(mm)	NA NA					
Illumination (number of row)	()		144				
Illumination Active Area							
Active Length / Outer Diameter	(mm)		240				
			240				
Active Width / Inner Diameter	(mm)		160				
Emission angle	(deg.)		0				
Eye Safety Class (IEC62471)			EXEMPT				
Electrical Information							
Lighting Supply Voltage							
(constant voltage mode)			24V ± 2%				
Continuous Current	(mA)	780					
Power Consumption	(W)	18.72					
	(VV)						
Lighting casing temperature,	°C	TBA					
Operating after 60 minutes	٠.ر						
Strobe Mode Specification							
			VEC				
Pulse Operation			YES				
Max. Lighting Supply Voltage	(V)	Pulsing at 24VE	OC to 48VDC, 0-10% Duty Cycle	Recommended at 36VDC			
(Constant voltage power supply)	(-/	3					
Pulse Current, (Max. 10msec)	(4)		2340				
(Constant current power supply)	(mA)		2340				
Max. Trigger Pulse Duration	(msec)	10					
Duty Cycle	(0-10%				
buty dydic			0.10%				
Additional Information							
Additional Cooling Method		Attached to machine part for better heat dissipation					
Intensity Controller Selection		ANG, SD, ST & SDA Series					
CE Conformity		YES					
RoHS Compliance		YES					
NOTS COMPITATION			163				
Connection							
Connector Type (Default):			JST SMR-03V				
Cable Length out from lighting :	(mm)		500				
Pin Configuration :		Pin	Signal	Cable Color			
-		1	LED+	RED			
		2	N.C.				
		3	LED -	WHITE			
	<u> </u>	3	LEU -	WHILE			
Application							
Illumination Type		Backlight Illumination					
Applicattion Use		Lead frame inspection, shape recognition, size measurement.					



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

