


BHLX3-00-160X320-X-IR850-24V

Lighting Dimension



ROHS CE

Mechanical Information			
Casing Material	Aluminium		
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%		
Weight	1060 g		
Length / Outer Diameter	356 mm		
Width / Inner Diameter	178 mm		
Thickness / Height	30 mm		



BHLX3-00-160X320-X-IR850-24V

Optical Information							
Part Number		BHLX3-00-160X320-X-IR850-24V					
LED Color			IR				
Wavelength	(nm)		850				
Intensity (±15%)	(Lux)		NA NA				
Working Distance	(mm)		NA				
Illumination (number of row)	()		TVA				
Illumination (ridinger of row)							
Active Length / Outer Diameter	(mm)		320				
Active Width / Inner Diameter	(mm)		160				
Emission angle	(deg.)	0					
Eye Safety Class (IEC62471)			EXEMPT				
Electrical Information							
Lighting Supply Voltage							
(constant voltage mode)			24V ± 2%				
Continuous Current	(mA)						
			1040				
Power Consumption	(W)	24.96					
Lighting casing temperature,		TBA					
Operating after 60 minutes	*C	°C					
Strobe Mode Specification							
Pulse Operation			YES				
Max. Lighting Supply Voltage	(V)	Pulsing at 24VF	C to 48VDC, 0-10% Duty Cycle	Recommended at 36VDC			
(Constant voltage power supply)	(*)	1 0151119 00 2 1 1 2	2 (0 10120, 0 1010 2011, 0) 010	Neconine naca at 50VBC			
Pulse Current, (Max. 10msec)							
(Constant current power supply)	(mA)	3120					
Max. Trigger Pulse Duration	(msec)	10					
Duty Cycle	(mscc)	(msec) 10 0-10%					
buty cyclic			0.10%				
Additional Information							
Additional Cooling Method		Attached to machine part for better heat dissipation					
Intensity Controller Selection		ANGX, SD, ST & SDA Series					
CE Conformity							
RoHS Compliance		YES YES					
NOTS CONTINUATE			123				
Connection							
Connector Type (Default):		JST SMR-03V					
Cable Length out from lighting :	(mm)		500				
Pin Configuration :		Pin	Signal	Cable Color			
		1	LED+	RED			
		2	N.C.				
		3	LED -	WHITE			
		The state of the s					
Application							
Illumination Type		Backlight Illumination					
Applicattion Use			nspection, shape recognition, size me				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

