
ILLUMINATOR DATA-ID

BHLX3-00-160X400-X-IR850-24V

Lighting Dimension

TMS



ROHS CE

Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	1265 g
Length / Outer Diameter	436 mm
Width / Inner Diameter	178 mm
Thickness / Height	30 mm

ILLUMINATOR DATA-ID

BHLX3-00-160X400-X-IR850-24V

TMS

Optical Information						
Part Number			BHLX3-00-160X400-X-IR850-24V			
LED Color			IR			
Wavelength	(nm)		850			
Intensity (±15%)	(Lux)		NA			
Working Distance	(mm)	NA				
Illumination (number of row)	, <i>, , , , , , , , , , , , , , , , , , </i>					
Illumination Active Area						
Active Length / Outer Diameter	(mm)	400				
Active Width / Inner Diameter	(mm)	160				
Emission angle	(deg.)	0				
Eye Safety Class (IEC62471)			EXEMPT			
Electrical Information						
Lighting Supply Voltage			2011-201			
(constant voltage mode)	(0)		24V ± 2%			
Continuous Current	(mA)	1300				
Power Consumption	(W)	31.2				
Lighting casing temperature, Operating after 60 minutes	°C					
	1					
Strobe Mode Specification						
Pulse Operation			YES			
Max. Lighting Supply Voltage	(∨)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle Recommended at 36VDC				
(Constant voltage power supply)	(•)	Fulsing at 24VDC to 48VDC, 0-10/8 buty Cycle Recommended at 30VDC				
Pulse Current, (Max. 10msec)	(mA)	3900				
(Constant current power supply)		0065				
Max. Trigger Pulse Duration	(msec)					
Duty Cycle			0-10%			
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANGX, SD, ST & SDA Series				
CE Conformity		YES				
RoHS Compliance		YES				
Connection						
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)		500			
Pin Configuration :		Pin	Signal	Cable Color		
		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
Application						
		Dacklight Illumination				
Illumination Type		Backlight Illumination Lead frame inspection, shape recognition, size measurement.				
Applicattion Use		Leau name inspection, snape recognition, size measurement.				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

