
BHLX3-00-400X400-X-R-24V

Lighting Dimension



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	2800 g
Length / Outer Diameter	436 mm
Width / Inner Diameter	418 mm
Thickness / Height	30 mm



BHLX3-00-400X400-X-R-24V

Optical Information							
Part Number	BHLX3-00-400X400-X-R-24V						
LED Color			RED				
Wavelength	(nm)		630				
Intensity (±15%)	(Lux)	TBA	TBA	TBA			
Working Distance	(mm)	10	20	30			
Illumination (number of row)	()	-	X				
Illumination Active Area							
Active Length / Outer Diameter	(mm)		400				
Active Width / Inner Diameter	(mm)						
Emission angle	(deg.)		400 0				
Eye Safety Class (IEC62471)	(ueg.)	EXEMPT					
Lye Janety Class (ILCO247 I)			LALIWIFT				
Electrical Information							
Lighting Supply Voltage							
(constant voltage mode)		İ	24V ± 2%				
Continuous Current	(mA)		24V ± 2% 3375				
Power Consumption	(MA)	 	81				
Lighting casing temperature,	(**)	81					
Operating after 60 minutes	°C	-					
Operating after 60 minutes	L C		TBA				
Strobe Mode Specification							
Pulse Operation			YES				
Max. Lighting Supply Voltage							
(Constant voltage power supply)	(V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle Recommended at 36VDC					
			Recommended at 36VDC				
Pulse Current, (Max. 10msec)	(mA)	10125					
(Constant current power supply)							
Max. Trigger Pulse Duration	(msec)						
Duty Cycle	0-10%						
Additional Information							
Additional Cooling Method	Attached to machine part for better heat dissipation						
Intensity Controller Selection	ANGX, ST and SD Series						
CE Conformity	YES						
RoHS Compliance	YES						
Connection							
Connector Type (Default):		JST SMR-03V					
Cable Length out from lighting :	(mm)	500					
Pin Configuration :	, <i>,</i>	Pin	Signal	Cable Color			
co.niguration .	l	1	LED +	RED			
	 	2	N.C.				
	 						
	<u> </u>	3	LED -	WHITE			
Application							
Illumination Type			Backlight Illumination				
		Lead frame i	Backlight Illumination nspection, shape recognition, size measurement				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

