


ILLUMINATOR DATA-ID

DFR4-15-80-1-R-24V

Lighting Dimension



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	115 g
Length / Outer Diameter	81 mm
Width / Inner Diameter	17 mm
Thickness / Height	17.5 mm



ILLUMINATOR DATA-ID


DFR4-15-80-1-R-24V

Optical Information							
Part Number	T		DFR4-15-80-1-R-24V				
LED Color			RED				
Wavelength	(nm)	650					
Intensity (±15%)	(Lux)	6972	3251	1959			
Working Distance	(mm)	34	64	89			
Illumination (number of row)	(,		1	-			
Illumination Active Area		<u> </u>					
Active Length / Outer Diameter	(mm)	71.8					
Active Width / Inner Diameter	(mm)	19					
Emission angle	(deg.)						
Eye Safety Class (IEC62471)	(4-8-7	EXEMPT					
, , ,							
Electrical Information							
Paletta Caral Maltana							
Lighting Supply Voltage			244 - 264				
(constant voltage mode)	()	24V ± 2%					
Continuous Current	(mA)	196					
Power Consumption	(W)	4.7					
Lighting casing temperature,							
Operating after 60 minutes	"C	°C 57					
Strobe Mode Specification							
Pulse Operation			YES				
Max. Lighting Supply Voltage	(V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle					
(Constant voltage power supply)	()	Recommended at 36VDC					
Pulse Current, (Max. 10msec)	(F00					
(Constant current power supply)	(mA)	588					
Max. Trigger Pulse Duration	(msec)	10					
Duty Cycle		0-10%					
Additional Information							
Additional Cooling Method		Attached to machine part for better heat dissipation					
Intensity Controller Selection	ANG, ST, SD and SDA Series						
CE Conformity	YES						
RoHS Compliance	YES						
Connection							
Connector Type (Default):		JST SMR-03V					
Cable Length out from lighting :	(mm)	·	500				
Pin Configuration :		Pin	Signal	Cable Color			
		1	LED +	RED			
		2	N.C.				
		3	LED -	WHITE			
			M.				
Australia							
Application							
Illumination Type		Diffused Illumination					
Applicattion Use		Printed character on IC chips, PCB component, printing on caps, and wafer OCR inspection.					
		77 - 77					



ILLUMINATOR DATA-ID

DFR4-15-80-1-R-24V





Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

