


ILLUMINATOR DATA-ID

HBF-00-08-1-G-5V

Lighting Dimension



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	100 g
Length / Outer Diameter	30 mm
Width / Inner Diameter	6 mm
Thickness / Height	69 mm



ILLUMINATOR DATA-ID

HBF-00-08-1-G-5V

Optical Information						
Part Number			HBF-00-08-1-G-5V			
LED Color			GREEN			
Wavelength	(nm)	525				
Intensity (±15%)	(Lux)	25400	18100	13500		
Working Distance	(mm)	50	60	70		
Illumination (number of row)			1			
Illumination Active Area						
Active Length / Outer Diameter	(mm)	6				
Active Width / Inner Diameter	(mm)	-				
Emission angle	(deg.)	0				
Eye Safety Class (IEC62471)			EXEMPT			
Floatricel Information						
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		5V ± 2%				
Continuous Current	(mA)	600				
Power Consumption	(W)	14.38				
Lighting casing temperature,						
Operating after 60 minutes	°C	°C 44.6				
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage	(V)	Pulsing at 5VDC to 10VDC, 0-10% Duty Cycle, Recommended at 8VDC				
(Constant voltage power supply)	(*)	Fulshig at .	VDC to 10VDC, 0-10% Duty Cycle, Recomm			
Pulse Current, (Max. 10msec)	(mA)	1800				
(Constant current power supply)	(IIIA)	1600				
Max. Trigger Pulse Duration	(msec)	ec) 10				
Duty Cycle		0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, ST, SD and SDA Series				
CE Conformity		YES				
RoHS Compliance		YES				
Connection						
Connector Type (Default):		JST SMR-03V				
Connector Type (Default): Cable Length out from lighting :	(mm)	JST SMR-03V 500				
Pin Configuration :	(11/11)	Pin	Signal	Cable Color		
configuration .		1	N.C.			
		2	LED +	RED		
		3	LED +	WHITE		
			110			
Application						
Illumination Type		Spot Light Illumination				
Applicattion Use		Use in macro Lenses inspection, spot light				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

