


ILLUMINATOR DATA-ID

HBFS-00-08-1-R-5V



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	45 g
Length / Outer Diameter	16 mm
Width / Inner Diameter	-
Thickness / Height	32 mm



ILLUMINATOR DATA-ID

HBFS-00-08-1-R-5V

Optical Information						
Part Number			HBFS-00-08-1-R-5V			
LED Color			RED			
Wavelength	(nm)		630			
Intensity (±15%)	(Lux)	TBA	TBA	TBA		
Working Distance	(mm)	TBA	TBA	TBA		
Illumination (number of row)	()	· · · · · · · · · · · · · · · · · · ·	1	•		
Illumination Active Area	1					
Active Length / Outer Diameter	(mm)	6				
Active Width / Inner Diameter	(mm)	-				
Emission angle	(deg.)	0				
Eye Safety Class (IEC62471)	12.07	EXEMPT				
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		5V ± 2%				
Continuous Current	(mA)	110				
Power Consumption	(W)	2.64				
Lighting casing temperature,						
Operating after 60 minutes	°C	TBA				
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage	0.0					
(Constant voltage power supply)	(V)	Pulsing at 5VDC to 10VDC, 0-10% Duty Cycle, Recommended at 8VDC				
Pulse Current, (Max. 10msec)		222				
(Constant current power supply)	(mA)	330				
Max. Trigger Pulse Duration	(msec)	10				
Duty Cycle	`/	0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, ST, SD and SDA Series				
CE Conformity		YES				
RoHS Compliance		YES				
Connection						
		ICT CALD COLL				
Connector Type (Default):	(m)	JST SMR-03V				
Cable Length out from lighting :	(mm)	D:-	500	Colds Color		
Pin Configuration :	 	Pin	Signal	Cable Color		
	 	1	N.C.			
	 	2	LED +	RED		
	 	3	LED -	WHITE		
Application						
	Control of the Contro					
Illumination Type Applicattion Use	-	Spot Light Illumination				
	Use in macro Lenses inspection, spot light					



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

