



ILLUMINATOR DATA-ID

IDS5-00-100-1-R-12V

Lighting Dimension











Mechanical Information				
Casing Material	Aluminium			
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%			
Weight	152 g			
Length / Outer Diameter	118 mm			
Width / Inner Diameter	25 mm			
Thickness / Height	56.8 mm			



IDS5-00-100-1-R-12V

Optical Information							
Part Number	IDS5-00-100-1-R-12V						
LED Color			RED				
Wavelength	(nm)		630				
Intensity (±15%)	(Lux)	TBA TBA TBA					
Working Distance	(mm)	20	30	40			
Illumination (number of row)	, ,		Х				
Illumination Active Area							
Active Length / Outer Diameter	(mm)	85.4					
Active Width / Inner Diameter	(mm)	25					
Emission angle	(deg.)		0				
Eye Safety Class (IEC62471)		EXEMPT					
Electrical Information							
Lighting Supply Voltage							
(constant voltage mode)		12V ± 2%					
Continuous Current	(mA)		ТВА				
Power Consumption	(W)		ТВА				
Lighting casing temperature,							
Operating after 60 minutes	°C	TBA					
Strobe Mode Specification							
Pulse Operation		YES					
Max. Lighting Supply Voltage	() ()	Dulcing at 12V/DC to 24V/DC 0.100/ Duty Code December 1-12V/DC					
(Constant voltage power supply)	(V)	Pulsing at 12VDC to 24VDC, 0-10% Duty Cycle, Recommended at 18VDC					
Pulse Current, (Max. 10msec)	,						
(Constant current power supply)	(mA)	ТВА					
Max. Trigger Pulse Duration	(msec)	10					
Duty Cycle	(111000)	0-10%					
Additional Information							
Additional Cooling Method		Attached to machine part for better heat dissipation					
Intensity Controller Selection		ANG, ST, SD and SDA Series					
CE Conformity		YES VES					
RoHS Compliance		YES					
Connection							
Connector Type (Default):			JST SMR-02V				
Cable Length out from lighting :	(mm)		500				
Pin Configuration :		Pin	Signal	Cable Color			
		1	LED +	RED			
		2	LED -	WHITE			
Application							
Illumination Type	Indirect Illumination						
Applicattion Use	Crack, chip, stains on circular or cylindrical objects, solder inspection and substract inspection.						



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

