
ILLUMINATOR DATA-ID

IDS5-00-250-1-IR850-24V

Lighting Dimension

TMS



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	780 g
Length / Outer Diameter	284 mm
Width / Inner Diameter	50 mm
Thickness / Height	139.4 mm

ILLUMINATOR DATA-ID

ID\$5-00-250-1-IR850-24V

TMS

Optical Information						
Part Number			IDS5-00-250-1-IR850-24V			
LED Color		IDS5-00-250-1-1K850-24V IR				
Wavelength	(nm)	850				
Intensity (±15%)	(Lux)		NA			
Working Distance	(mm)	NA				
Illumination (number of row)		***				
Illumination Active Area						
Active Length / Outer Diameter	(mm)	212				
Active Width / Inner Diameter	(mm)	50				
Emission angle	(deg.)	0				
Eye Safety Class (IEC62471)		EXEMPT				
Electrical Information						
		<mark></mark>				
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	1500				
Power Consumption	(W)	36				
Lighting casing temperature,	°C		TRA			
Operating after 60 minutes	°C		ТВА			
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage	0.0	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle				
(Constant voltage power supply)	(V)	Recommended at 36VDC				
Pulse Current, (Max. 10msec)						
(Constant current power supply)	(mA)	4500				
Max. Trigger Pulse Duration	(msec)	msec) 10				
Duty Cycle	0-10%					
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection CE Conformity		ANG, ST, SD and SDA Series YES				
RoHS Compliance		YES				
Connection						
Connector Trace (Defende)						
Connector Type (Default):	(JST SMR-03V				
Cable Length out from lighting :	(mm)	P* -	500	Cable Caller		
Pin Configuration :		Pin 1	Signal LED +	Cable Color RED		
		2	N.C.	KEU		
		3	LED -	WHITE		
		3	LED -	WHILE		
		1 m				
Application						
Illumination Type	Indirect Illumination					
Applicattion Use	Crack, chip, stains on circular or cylindrical objects, solder inspection and substract inspection.					



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

