


ILLUMINATOR DATA-ID

LLA-75-170-3-R-24V

Lighting Dimension



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	410 g
Louath / Outon Diamoton	475
Length / Outer Diameter	175 mm
Width / Inner Diameter	136 mm
Thickness / Height	24.5 mm



ILLUMINATOR DATA-ID

LLA-75-170-3-R-24V

Optical Information						
Part Number	T		LLA-75-170-3-R-24V			
LED Color			RED			
Wavelength	(nm)		630			
Intensity (±15%)	(Lux)	16200	20300	27200		
Working Distance	(mm)	6	11	16		
Illumination (number of row)	(,	Ť	3			
Illumination Active Area						
Active Length / Outer Diameter	(mm)	160				
Active Width / Inner Diameter	(mm)	136				
Emission angle	(deg.)	75				
Eye Safety Class (IEC62471)	1	EXEMPT				
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	570				
Power Consumption	(W)	13.68				
Lighting casing temperature,		2700				
Operating after 60 minutes	°C	51.6				
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage	0.0					
(Constant voltage power supply)	(V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle, Recommended at 36VDC				
Pulse Current, (Max. 10msec)		4=				
(Constant current power supply)	(mA)	1710				
Max. Trigger Pulse Duration	(msec)	10				
Duty Cycle	, ,,,,	0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, ST, SD and SDA Series				
CE Conformity		YES				
RoHS Compliance		YES				
Connection						
Companies Time (Default)	1		ICT CAAD COV			
Connector Type (Default):	()	JST SMR-03V				
Cable Length out from lighting :	(mm)	Die	500 Signal	Cable Calar		
Pin Configuration :		Pin 1	Signal	Cable Color RED		
		2	LED + N.C.	RED		
	-	3		WHITE		
	-	3	LED -	WHILE		
Application						
		Direct Illustration				
Illumination Type Applicattion Use		Direct Illumination				
ADDICATION USE		Edge detection, scratched on metal or glossy surface.				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

