


#### **Lighting Dimension**



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	70 g
Length / Outer Diameter	80 mm
Width / Inner Diameter	50 mm
Thickness / Height	10.5 mm

# 

# **ILLUMINATOR DATA-ID**

## LLA-90-080-1-B-24V

Optical Information							
Part Number			LLA-90-080				
LED Color			BLU				
Wavelength	(nm)	470					
Intensity (±15%)	(Lux)	22100	26700	13700	3720		
Working Distance	(mm)	10	11	16	21		
Illumination (number of row)			1	-			
Illumination Active Area							
Active Length / Outer Diameter	(mm)	51					
Active Width / Inner Diameter	(mm)	50					
Emission angle	(deg.)	90					
Eye Safety Class ( IEC62471 )			11				
Electrical Information							
Lighting Supply Voltage							
(constant voltage mode)		24V ± 2%					
Continuous Current	(mA)	105					
Power Consumption	(W)	2.52					
Lighting casing temperature,							
Operating after 60 minutes	°C	54.1					
Strobe Mode Specification							
Pulse Operation		YES					
Max. Lighting Supply Voltage							
(Constant voltage power supply)	(∨)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle, Recommended at 36VDC					
Pulse Current, (Max. 10msec)							
(Constant current power supply)	(mA)	315					
Max. Trigger Pulse Duration	(msec)	10					
Duty Cycle	(IIISCC)	0-10%					
Additional Information							
Additional Cooling Method		Attached to machine part for better heat dissipation					
Intensity Controller Selection		ANG, ST, SD and SDA Series					
CE Conformity		YES					
RoHS Compliance		YES					
			· · · · · · · · · · · · · · · · · · ·	-			
Connection							
Connector Type (Default):		JST SMR-03V					
Cable Length out from lighting :	(mm)	500					
Pin Configuration :		Pin	Sigr		Cable Color		
		1	LEC		RED		
		2	N.4				
		3	LEC	)-	WHITE		
Application							
Illumination Type		Direct Working					
		Direct Illumination					
Applicattion Use		Edge detection, scratched on metal or glossy surface.					



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



### **VISION** CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

