


**ILLUMINATOR DATA-ID** 

### LLA-90-150-1-R-24V

#### **Lighting Dimension**



ROHS CE

Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	120 g
Length / Outer Diameter	151 mm
Width / Inner Diameter	121 mm
Thickness / Height	10.5 mm

# **ILLUMINATOR DATA-ID**

## LLA-90-150-1-R-24V

TMS

Optical Information						
Part Number			LLA-90-150-1-R-24V			
LED Color			RED			
Wavelength	(nm)		630			
Intensity (±15%)	(Lux)	3390	2800	1900		
Working Distance	(mm)	16	21	26		
Illumination (number of row)			1			
Illumination Active Area						
Active Length / Outer Diameter	(mm)	122				
Active Width / Inner Diameter	(mm)	121				
Emission angle	(deg.)	90				
Eye Safety Class ( IEC62471 )			EXEMPT			
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	165				
Power Consumption	(W)	3.96				
Lighting casing temperature,						
Operating after 60 minutes	°C	41.9				
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage						
(Constant voltage power supply)	(V)	Pulsing at	24VDC to 48VDC, 0-10% Duty Cycle, Recommend	ed at 36VDC		
Pulse Current, (Max. 10msec)						
(Constant current power supply)	(mA)	495				
Max. Trigger Pulse Duration	(msec)	10				
Duty Cycle	(IIISec)	0-10%				
			0 10/0			
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, ST, SD and SDA Series				
CE Conformity		YES				
RoHS Compliance		YES				
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)		500			
Pin Configuration :		Pin	Signal	Cable Color		
		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
Application						
		Diversity of the				
Illumination Type		Direct Illumination				
Applicattion Use		Edge detection, scratched on metal or glossy surface.				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



### **VISION** CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

