


ILLUMINATOR DATA-ID

LLA-90-180-1-G-24V

Lighting Dimension



Mechanical Information			
Casing Material	Aluminium		
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%		
Weight	180 g		
Length / Outer Diameter	181 mm		
Width / Inner Diameter	151 mm		
Thickness / Height	10.5 mm		



ILLUMINATOR DATA-ID

LLA-90-180-1-G-24V

Optical Information						
Part Number			LLA-90-180-1-G-24V			
LED Color			GREEN			
Wavelength	(nm)		525			
Intensity (±15%)	(Lux)	TBA	TBA	TBA		
Working Distance	(mm)	22	27	32		
Illumination (number of row)	` '		1			
Illumination Active Area						
Active Length / Outer Diameter	(mm)		152			
Active Width / Inner Diameter	(mm)					
Emission angle						
Eye Safety Class (IEC62471)	(ueg.)	(deg.) 90 EXEMPT				
Lye safety class (ILCO2471)			LALIVIFI			
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)					
Power Consumption	(MA) (W)	255				
	(**)	6.12				
Lighting casing temperature, Operating after 60 minutes	°C					
Operating after 00 minutes	<u> </u>	*C TBA				
Strobe Mode Specification						
Pulse Operation			YES			
Max. Lighting Supply Voltage						
(Constant voltage power supply)	(V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle, Recommended at 36VDC				
Pulse Current, (Max. 10msec) (Constant current power supply)	(mA)	765				
Max. Trigger Pulse Duration	(msec)	10				
Duty Cycle	(msec) 10 0-10%					
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection	ANG, ST, SD and SDA Series					
CE Conformity	YES					
RoHS Compliance	YES					
Total compliance	I I		1.00			
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)	500				
Pin Configuration :		Pin	Signal	Cable Color		
<u> </u>	İ	1	LED +	RED		
		2	N.C.			
	-	3	LED -	WHITE		
	 	<u> </u>	LLD -	VVIIIIE		
Application						
Illumination Type	Direct Illumination					
Applicattion Use		Edgo dot	ection, scratched on metal or glossy surface.			



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

