
TMS

ILLUMINATOR DATA-ID

LLA-90-210-1-G-24V

Lighting Dimension



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	190 g
Length / Outer Diameter	211 mm
Width / Inner Diameter	181 mm
Thickness / Height	10.5 mm

ILLUMINATOR DATA-ID

LLA-90-210-1-G-24V

TMS

Optical Information						
Part Number			LLA-90-210-1-G-24V			
LED Color			GREEN			
Wavelength	(nm)		525			
Intensity (±15%)	(Lux)	TBA	TBA	ТВА		
Working Distance	(mm)	20	25	30		
Illumination (number of row)			1			
Illumination Active Area						
Active Length / Outer Diameter	(mm)	182				
Active Width / Inner Diameter	(mm)	181				
Emission angle	(deg.)	90				
Eye Safety Class (IEC62471)		EXEMPT				
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	300				
Power Consumption	(W)	7.2				
Lighting casing temperature,	. ,					
Operating after 60 minutes	°C	ТВА				
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage						
(Constant voltage power supply)	(∨)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle, Recommended at 36VDC				
Pulse Current, (Max. 10msec)						
(Constant current power supply)	(mA)	900				
Max. Trigger Pulse Duration	(msec)	ec) 10				
Duty Cycle	0-10%					
			0 10/1			
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		Attached to machine part for better heat dissipation ANG, ST, SD and SDA Series				
CE Conformity		ANG, ST, SD and SDA Series YES				
RoHS Compliance		YES				
			100			
Connection						
Connector Turo (Default)						
Connector Type (Default):	(mm)	JST SMR-03V				
Cable Length out from lighting :	(mm)	D:-	500 Signal	Cable Calar		
Pin Configuration :		Pin 1	Signal LED +	Cable Color RED		
		2	N.C.	neu .		
		3	LED -	WHITE		
		3	LEV -	writte		
Application						
Illumination Type		Direct Illumination				
Applicattion Use		Edge detection, scratched on metal or glossy surface.				
	-					



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

