


Lighting Dimension



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	31 g
Length / Outer Diameter	60.85 mm
Width / Inner Diameter	51.7 mm
Thickness / Height	8 mm

ILLUMINATOR DATA-ID

LSQ-45-051-1-R-24V

Optical Information						
Part Number			LSQ-45-051-1-R-24V			
LED Color		RED				
Wavelength	(nm)	630				
ntensity (±15)	(Lux)	21200	19550	16590		
Working Distance	(mm)	9	16	29		
llumination (number of row)			1			
Ilumination Active Area						
Active Area (diameter)	(mm)	42				
Emission angle	(deg.)	45				
Eye Safety Class (IEC62471)			EXEMPT			
Electrical Information						
Lighting Supply Voltage						
constant voltage mode)			24V ± 2%			
Continuous Current	(mA)		45			
Power Consumption	(W)	45				
Lighting casing temperature,	(**/	1.00				
Operating after 60 minutes	°C		36.9			
	ŭ		50.9			
Strobe Mode Specification						
Pulse Operation			YES			
Max. Lighting Supply Voltage			Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle			
(Constant voltage power supply)	(V)		Recommended at 36VDC			
			Accommended at 50050			
Pulse Current, (Max. 10msec)	(mA)		135			
(Constant current power supply)		,				
Max. Trigger Pulse Duration	(msec)	(msec) 10				
Duty Cycle			0-10%			
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection						
		ANG, SD, ST & SDA series				
CE Conformity		YES				
RoHS Compliance			YES			
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)		500			
Pin Configuration :		Pin	Signal	Cable Color		
		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
Application						
Application						
Illumination Type		Direct Illumination				
		Substrate inspection, label inspection, flat surface, fiducially recognition				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

