




# ILLUMINATOR DATA-ID

## LBL3-00-100-X-B-24V

### Lighting Dimension




Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	150 g
Length / Outer Diameter	120 mm
Width / Inner Diameter	26.3 mm
Thickness / Height	32.8 mm



# ILLUMINATOR DATA-ID

## LBL3-00-100-X-B-24V

Optical Information			
Part Number	LBL3-00-100-X-B-24V		
LED Color	BLUE		
Wavelength (nm)	450		
Intensity (±15%) (Lux)	TBA	TBA	TBA
Working Distance (mm)	10	20	30
Illumination (number of row)	3		
Illumination Active Area			
Active Length / Outer Diameter (mm)	99		
Active Width / Inner Diameter (mm)	19.7		
Emission angle (deg.)	0		
Eye Safety Class ( IEC62471 )	II		
<b>*CHROMATICITY TABLE</b>			
Electrical Information			
Lighting Supply Voltage (constant voltage mode)	24V ± 2%		
Continuous Current (mA)	150		
Power Consumption (W)	3.6		
Lighting casing temperature, Operating after 60 minutes (°C)	TBA		
Strobe Mode Specification			
Pulse Operation	YES		
Max. Lighting Supply Voltage (Constant voltage power supply) (V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle Recommended at 36VDC		
Pulse Current, (Max. 10msec) (Constant current power supply) (mA)	450		
Max. Trigger Pulse Duration (msec)	10		
Duty Cycle	0-10%		
Additional Information			
Additional Cooling Method	Attached to machine part for better heat dissipation		
Intensity Controller Selection	ANG, ST, SD and SDA Series		
CE Conformity	YES		
RoHS Compliance	YES		
Connection			
Connector Type (Default):	JST SMR-03V		
Cable Length out from lighting : (mm)	500		
Pin Configuration :	Pin	Signal	Cable Color
	1	LED +	RED
	2	N.C.	---
	3	LED -	WHITE
			
Application			
Illumination Type	Direct Illumination		
Appication Use	General illumination, label inspection, character inspection, code recognition.		



**VISION CONSULTANCY**  
MAKING THE UNSEEN VISIBLE

Thank you for downloading this document from  
[www.machine-vision-shop.com](http://www.machine-vision-shop.com)

If you have any questions, you need help composing the  
right package for your application or do you want to order?

Feel free to contact us via e-mail at [sales@vision-consultancy.nl](mailto:sales@vision-consultancy.nl) or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Cromptvoets



**VISION CONSULTANCY**

Robert Schumandomein 2  
6229 ES Maastricht  
The Netherlands

+31 (0) 438 522 651

[sales@vision-consultancy.nl](mailto:sales@vision-consultancy.nl)  
[www.machine-vision-shop.com](http://www.machine-vision-shop.com)

Scan me to visit  
[machine-vision-shop](http://machine-vision-shop.com)

