

LBL3-00-1000-3-B-24V

Lighting Dimension 19.7 999 EMITTING AREA (CONNECTOR) 4 - TAP M4 \$\times 5 \text{ N.S.}



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	926 g
Length / Outer Diameter	1020 mm
Width / Inner Diameter	26.3 mm
Thickness / Height	32.8 mm



LBL3-00-1000-3-B-24V

Optical Information						
Part Number		LBL3-00-1000-3-B-24V				
LED Color			BLUE			
Wavelength	(nm)		470			
Intensity (±15%)	(Lux)	7/0				
Working Distance	(mm)	10	20	30		
Illumination (number of row)	` '		3			
Illumination Active Area						
Active Length / Outer Diameter	(mm)	999				
Active Width / Inner Diameter	(mm)	19.7				
Emission angle	(deg.)	0				
Eye Safety Class (IEC62471)		II .				
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	1500				
Power Consumption	(W)	36				
Lighting casing temperature,	°C					
Operating after 60 minutes		<u> </u>				
	<u> </u>					
Strobe Mode Specification						
Pulse Operation			YES			
Max. Lighting Supply Voltage (Constant voltage power supply)	(V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle, Recommended at 36VDC				
Pulse Current, (Max. 10msec) (Constant current power supply)	(mA)	4500				
Max. Trigger Pulse Duration	(msec)	10				
Duty Cycle	(111500)	0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, SD, ST & SDA Series				
CE Conformity		YES				
RoHS Compliance		YES				
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)		JST SMR-03V 500			
Pin Configuration :	(111111)	Pin	Signal	Cable Color		
- III COMBAIGNI		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
		<u> </u>		W.IIIE		
Application						
Illumination Type		Direct Illumination				
Applicattion Use		General illumination,	label inspection, character inspection, code re	cognition.		



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

