
ILLUMINATOR DATA-ID

LBL3-00-1000-3-G-24V



ROHS CE

Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	926 g
Length / Outer Diameter	1020 mm
Width / Inner Diameter	26.3 mm
Thickness / Height	32.8 mm

ILLUMINATOR DATA-ID

LBL3-00-1000-3-G-24V

	00					
Optical Information						
· · · · · · · · · · · · · · · · · · ·						
Part Number			LBL3-00-1000-3-G-24V			
LED Color			GREEN			
Wavelength	(nm)	525				
Intensity (±15%)	(Lux)					
Working Distance	(mm)	10	20	30		
Illumination (number of row)			3			
Illumination Active Area						
Active Length / Outer Diameter	(mm)	999				
Active Width / Inner Diameter	(mm)	19.7				
Emission angle	(deg.)	0				
Eye Safety Class (IEC62471)	1	EXEMPT				
Electrical Information						
Lighting Supply Voltage						
Lighting Supply Voltage		24/1/28/				
(constant voltage mode)	(^)	24V ± 2%				
Continuous Current	(mA)	1500				
Power Consumption	(W)	36				
Lighting casing temperature, Operating after 60 minutes	°C	°C				
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage	0.0					
(Constant voltage power supply)	(V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle, Recommended at 36VDC				
Pulse Current, (Max. 10msec)						
(Constant current power supply)	(mA)	4500				
Max. Trigger Pulse Duration	(msec)	10				
Duty Cycle	(insec)	10 0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, SD, ST & SDA Series				
CE Conformity		YES				
RoHS Compliance		YES				
			125			
Connection						
Connector Type (Default):						
Connector Type (Detault):	(mmm)	JST SMR-03V				
Cable Length out from lighting :	(mm)	D* -	500	Cohio Colori		
Pin Configuration :		Pin	Signal	Cable Color		
		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
Illumination Type		Direct Illumination				
Applicattion Use		General illumination, label inspection, character inspection, code recognition.				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

