
ILLUMINATOR DATA-ID

LBL3-00-1000-3-R-24V



ROHS CE

Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	926 g
Length / Outer Diameter	1020 mm
Width / Inner Diameter	26.3 mm
Thickness / Height	32.8 mm

ILLUMINATOR DATA-ID

LBL3-00-1000-3-R-24V

ITE

TMS

	00					
Optical Information						
· · · · · · · · · · · · · · · · · · ·						
Part Number			LBL3-00-1000-3-R-24V			
LED Color			RED			
Wavelength	(nm)		630			
Intensity (±15%)	(Lux)					
Working Distance	(mm)	10	20	30		
Illumination (number of row)			3			
Illumination Active Area						
Active Length / Outer Diameter	(mm)	999				
Active Width / Inner Diameter	(mm)	19.7				
Emission angle	(deg.)	0				
Eye Safety Class (IEC62471)	(110)	EXEMPT				
Electrical Information						
Lighting Supply Voltage						
Lighting Supply Voltage		241/ - 29/				
(constant voltage mode)	(^)	24V ± 2%				
Continuous Current	(mA)	900				
Power Consumption	(W)	21.6				
Lighting casing temperature, Operating after 60 minutes	°C	c				
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage	0.0					
(Constant voltage power supply)	(V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle, Recommended at 36VDC				
Pulse Current, (Max. 10msec)						
(Constant current power supply)	(mA)	2700				
Max. Trigger Pulse Duration	(msec)	10				
Duty Cycle	(11500)	0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, SD, ST & SDA Series				
CE Conformity		YES				
RoHS Compliance	-	YES				
			165			
Connection						
Constant Turne (Default)						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)	N	500			
Pin Configuration :		Pin	Signal	Cable Color		
		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
Application						
		Plant III, stratter				
Illumination Type		Direct Illumination General illumination, label inspection, character inspection, code recognition.				
Applicattion Use		General munimation, label inspection, thatacter inspection, code recognition.				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

