


ILLUMINATOR DATA-ID

LBL3-00-200-X-G-24V

Lighting Dimension





Mechanical Information				
Casing Material	Aluminium			
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%			
Weight	240 g			
Length / Outer Diameter	220 mm			
Width / Inner Diameter	26.3 mm			
Thickness / Height	32.8 mm			



ILLUMINATOR DATA-ID

LBL3-00-200-X-G-24V

Optical Information						
Part Number			LBL3-00-200-X-G-24V			
LED Color			GREEN			
Wavelength	(nm)		525			
Intensity (±15%)	(Lux)	TBA TBA TBA				
Working Distance	(mm)	10	20	30		
Illumination (number of row)	` ′		Х			
Illumination Active Area						
Active Length / Outer Diameter	(mm)) 199				
Active Width / Inner Diameter	(mm)					
Emission angle	(deg.)					
Eye Safety Class (IEC62471)	(deg./	EXEMPT				
, , , , , , , , , , , , , , , , , , , ,						
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	300				
Power Consumption	(W)	7.2				
Lighting casing temperature,	(44)	1 1.2				
Operating after 60 minutes	°C	°C 60.7				
Operating area of minutes			00.7			
Strobe Mode Specification						
Pulse Operation			YES			
Max. Lighting Supply Voltage		Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle				
(Constant voltage power supply)	(V)	Recommended at 36VDC				
Pulse Current, (Max. 10msec) (Constant current power supply)	(mA)	900				
Max. Trigger Pulse Duration	(msec)	msec) 10				
Duty Cycle	0-10%					
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, ST , SD and SDA Series				
CE Conformity		YES				
RoHS Compliance	YES					
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)		500			
Pin Configuration :		Pin	Signal	Cable Color		
		1	LED+	RED		
		2	N.C.			
		3	LED -	WHITE		
		₹				
Application						
Illumination Type		Direct Illumination				
Applicattion Use		General illumination, label inspection, character inspection, code recognition.				
		General manifestory raper inspection, character inspection, code recognition.				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

