


## **ILLUMINATOR DATA-ID**

## LBL3-00-300-X-G-24V

### **Lighting Dimension**





Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	340 g
Length / Outer Diameter	320 mm
Width / Inner Diameter	26.3 mm
Thickness / Height	32.8 mm



# ILLUMINATOR DATA-ID

### LBL3-00-300-X-G-24V

Optical Information						
Part Number		LBL3-00-300-X-G-24V				
LED Color			GREEN			
	(nm)					
Wavelength		525				
Intensity (±15%)	(Lux)	TBA	TBA	TBA		
Working Distance	(mm)	10	20	30		
Illumination (number of row)			X			
Illumination Active Area						
Active Length / Outer Diameter	(mm)		299			
Active Width / Inner Diameter	(mm)	n) 19.7				
Emission angle	(deg.)	(deg.) 0				
Eye Safety Class ( IEC62471 )	EXEMPT					
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)					
Power Consumption	(mA)					
	(vv)	(W) 10.8				
Lighting casing temperature, Operating after 60 minutes						
Operating after 60 minutes	٠,	°C TBA				
Strobe Mode Specification						
		I				
Pulse Operation		YES				
Max. Lighting Supply Voltage	(V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle				
(Constant voltage power supply)	(*)		Recommended at 36VDC			
Pulse Current, (Max. 10msec)			4250			
(Constant current power supply)	(mA) 1350					
Max. Trigger Pulse Duration	(msec) 10					
Duty Cycle	0.10%					
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection	ANG, ST, SD and SDA Series					
CE Conformity	YES					
RoHS Compliance	YES					
nons complained			123			
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)	500				
Pin Configuration :		Pin	Signal	Cable Color		
9		1	LED+	RED		
		2	N.C.			
		3	LED -	WHITE		
	<b> </b>	3	LEU -	VVIIIE		
Application						
Illumination Type	Direct Illumination					
Applicattion Use		General illumination, label inspection, character inspection, code recognition.				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



### **VISION** CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

