


LBL3-00-400-X-R-24V

Lighting Dimension





Mechanical Information			
Casing Material	Aluminium		
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%		
Weight	450 g		
Length / Outer Diameter	420 mm		
Width / Inner Diameter	26.3 mm		
Thinkness	32.8 mm		



ILLUMINATOR DATA - ID

LBL3-00-400-X-R-24V

Optical Information						
Part Number			LBL3-00-400-X-R-24V			
LED Color		RED				
Wavelength	(nm)	630				
Intensity (±15%)	(Lux)			5540		
Working Distance	(mm)	10	20	30		
Illumination (number of row)			Х			
Illumination Active Area		<u> </u>				
Active Length / Outer Dia.	(mm)	399				
Active Width / Inner Dia.	()	19.7				
Emission angle	(deg.)	0				
Eye Safety Class (IEC62471)	(405.)	EXEMPT				
	,					
Electrical Information						
Lighting Supply Voltage (constant						
voltage mode)			24V ± 2%			
Continuous Current	(mA)		360			
Power Consumption	(W)		8.64			
Lighting casing temperature, Operating aff	er		- **			
60 minutes	°C		54.9			
Strobe Mode Specification						
Pulse Operation		1	VEC			
			YES			
Max. Lighting Supply Voltage (Constant voltage power supply)	(V)		Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle Recommended at 36VDC			
Pulse Current, (Max. 10msec) (Constant current power supply)	(mA)	1080				
Max. Trigger Pulse Duration	(msec)	10				
Duty Cycle	(111000)	0-10%				
	•					
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, ST, SD and SDA series				
CE Conformity		YES				
RoHS Compliance		YES				
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)		500			
Pin Configuration :		Pin	Signal	Cable Color		
, and the second		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
		,	LLD -	vviii1L		
		•				
Application						
Illumination Type		Backlight Illumination				
Application Use		Lead frame inspection, shape recognition, size measurement.				
·						



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

