


LBL3-00-800-X-G-24V

Lighting Dimension



810



Mechanical Information				
Casing Material	Aluminium			
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%			
Weight	780 g			
Length / Outer Diameter	820 mm			
Width / Inner Diameter	26.3 mm			
Thickness / Height	32.8 mm			



ILLUMINATOR DATA-ID

LBL3-00-800-X-G-24V

Optical Information						
Part Number		LBL3-00-800-X-G-24V				
LED Color			GREEN			
	(nm)					
Wavelength						
Intensity (±15%)	(Lux)		TBA			
Working Distance	(mm)	10	20	30		
Illumination (number of row)			X			
Illumination Active Area	<u> </u>					
Active Length / Outer Diameter	(mm)		799			
Active Width / Inner Diameter	(mm)		19.7			
Emission angle	(deg.)	(deg.) 0				
Eye Safety Class (IEC62471)	EXEMPT					
Electrical Information						
Lighting Supply Voltage			·			
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)					
Power Consumption	(mA)	1200				
	(vv)	(W) 28.8				
Lighting casing temperature,						
Operating after 60 minutes	°C 58					
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage	4.0	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle				
(Constant voltage power supply)	(V)		Recommended at 36VDC			
Pulse Current, (Max. 10msec)						
(Constant current power supply)	(mA)		3600			
Max. Trigger Pulse Duration						
Duty Cycle	(msec) 10					
buty cycle		0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection	ANG, ST , SD and SDA Series					
CE Conformity	YES					
RoHS Compliance	YES					
Connection						
Connector Type (Default)			ICT CMD 03V			
Connector Type (Default):	(JST SMR-03V				
Cable Length out from lighting :	(mm)	<u> </u>	500			
Pin Configuration :		Pin	Signal	Cable Color		
		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
	1,5-					
Application						
Illumination Type	Backlight Illumination					
Applicattion Use		Lead frame inspection, shape recognition, size measurement.				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

