

LBM-00-040-1-R-24V

Lighting Dimension







Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	19 g
Length / Outer Diameter	50 mm
Width / Inner Diameter	9 mm
Thickness / Height	9.1 mm



LBM-00-040-1-R-24V

Optical Information						
•						
Part Number			LBM-00-040-1-R-24V			
LED Color			RED			
Wavelength	(nm)	630				
Intensity (±15)	(Lux)	5260	3530	2280		
Working Distance	(mm)	10	20	30		
Illumination (number of row)			1			
Illumination Active Area						
Active Length / Outer Dia.	(mm)	42				
Active Width / Inner Dia.	(mm)	5.6				
Emission angle	(deg.)	0				
Eye Safety Class (IEC62471)	EXEMPT					
	ı					
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	13				
Power Consumption	(W)	0.312				
Lighting casing temperature,						
Operating after 60 minutes	°C	38.4				
Strobe Mode Specification						
Pulse Operation			YES			
Max. Lighting Supply Voltage						
(Constant voltage power supply)	(V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle Recommended at 36VDC				
		Recommended at 30VDC				
Pulse Current, (Max. 10msec)	(mA)	39				
(Constant current power supply)						
Max. Trigger Pulse Duration	(msec)					
Duty Cycle	l .		0-10%			
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, SD, ST & SDA series				
CE Conformity		YES				
RoHS Compliance		YES				
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)	500				
Pin Configuration :	(,,,,,,,	Pin	Signal	Cable Color		
22		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
	1					
	1					
Application						
Illumination Type	Direct Illumination					
Application Use	General illumination, label inspection, character inspection, code recognition					
Application 036		General munimation,	, iaser inspection, character inspection, code re	cognition		



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

