


Lighting Dimension



CONNECTOR 50CM CABLE-

(BOTH SIDES)

Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	22 g
Length / Outer Diameter	50 mm
Width / Inner Diameter	16 mm
Thickness / Height	9.1 mm

ILLUMINATOR DATA-

LBM-00-040-3-G-24V

Optical Information						
art Number			LBM-00-040-3-G-24V			
ED Color			GREEN			
Vavelength	(nm)	525				
ntensity (±15)	(Lux)	TBA	TBA	ТВА		
Working Distance	(mm)	10	20	30		
llumination (number of row)	()	10	3	50		
Ilumination Active Area			5			
Active Length / Outer Dia.	(mm)	42.4				
Active Width / Inner Dia.	(mm)	12.6				
Emission angle Eye Safety Class (IEC62471)	(deg.)	0 EXEMPT				
*CHROMATICITY TABLE			LALIWIT T			
Electrical Information						
Lighting Supply Voltage						
constant voltage mode)			24V ± 2%			
Continuous Current	(mA)	24V ± 2% 78				
Power Consumption	(IIIA) (W)	1.872				
	(**)		1.072			
Lighting casing temperature, Operating after 60 minutes	°C	36.5				
Strobe Mode Specification						
Pulse Operation			YES			
Max. Lighting Supply Voltage	0.0	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle				
Constant voltage power supply)	(∨)		Recommended at 36VDC			
Pulse Current, (Max. 10msec)	(mA)	234				
Constant current power supply)						
Max. Trigger Pulse Duration	(msec)	10				
Duty Cycle		0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, SD, ST & SDA series				
CE Conformity		YES				
RoHS Compliance		YES				
Connection						
Connector Type (Default):			JST SMR-03V			
Cable Length out from lighting :	(mm)		500			
Pin Configuration :		Pin	Signal	Cable Color		
		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
		a ⁴				
Application						
Illumination Type		Direct Illumination				
Application Use		General illumination, label inspection, character inspection, code recognition				
		· · · · · · · · · · · · · · · · · · ·				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

