


LBM-00-080-3-B-24V

Lighting Dimension





Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	31 g
Length / Outer Diameter	92 mm
Width / Inner Diameter	16 mm
Thickness / Height	9.1 mm



LBM-00-080-3-B-24V

Optical Information						
Part Number		LBM-00-080-3-B-24V				
LED Color			BLUE			
Wavelength	(nm)		470			
Intensity (±15)	(Lux)	TBA				
Working Distance	(mm)	10	20	30		
Illumination (number of row)			3			
Illumination Active Area						
Active Length / Outer Dia.	(mm)	84.4				
Active Width / Inner Dia.	(mm)	12.6				
Emission angle	(deg.)		0			
Eye Safety Class (IEC62471)		II				
*CHROMATICITY TABLE						
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	156				
Power Consumption	(W)	3.744				
Lighting casing temperature,						
Operating after 60 minutes	°C	47.7				
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage	6.0	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle				
(Constant voltage power supply)	(V)	Recommended at 36VDC				
Pulse Current, (Max. 10msec)						
(Constant current power supply)	(mA)	468				
Max. Trigger Pulse Duration	(msec)	10				
Duty Cycle	(msee)	0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, SD, ST & SDA series				
CE Conformity		YES				
RoHS Compliance		YES				
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)	500				
Pin Configuration :		Pin	Signal	Cable Color		
		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
Application						
Illumination Type		Direct Illumination				
Application Use		General illumination, label inspection, character inspection, code recognition				
FF	l					



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

