

LBM-00-080-3-R-24V

Lighting Dimension 92 84.4 EMITTING AREA TAP M2X0.4 - ▼ 3.10 NOT THEN (BOTH SIDES) ROMELIANT COMPLIANT COMPLIANT

Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	29 g
Length / Outer Diameter	92 mm
Width / Inner Diameter	16 mm
Thickness / Height	9.1 mm



LBM-00-080-3-R-24V

Optical Information							
•							
Part Number			LBM-00-080-3-R-24V				
LED Color			RED				
Wavelength	(nm)	630					
Intensity (±15)	(Lux)	7290	4780	3360			
Working Distance	(mm)	10	20	30			
Illumination (number of row)			3				
Illumination Active Area							
Active Length / Outer Dia.	(mm)	84.4					
Active Width / Inner Dia.	(mm)	12.6					
Emission angle	(deg.)		0				
Eye Safety Class (IEC62471)			EXEMPT				
Electrical Information							
Lighting Supply Voltage							
(constant voltage mode)		24V ± 2%					
Continuous Current	(mA)	78					
Power Consumption	(W)	1.872					
Lighting casing temperature,							
Operating after 60 minutes	°C	42.7					
Strobe Mode Specification							
Pulse Operation	I		YES				
Max. Lighting Supply Voltage		Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle					
(Constant voltage power supply)	(V)	Recommended at 36VDC					
Pulse Current, (Max. 10msec)	+						
(Constant current power supply)	(mA)	234					
Max. Trigger Pulse Duration	(msec)	10					
Duty Cycle	(IIISEC)	(msec) 10 0-10%					
Bacy Cyclic			0 10/0				
Additional Information							
Additional Cooling Method		Attached to machine part for better heat dissipation					
Intensity Controller Selection		ANG, SD, ST & SDA series					
CE Conformity		YES					
RoHS Compliance		YES					
Connection							
Connector Type (Default):		JST SMR-03V					
Cable Length out from lighting :	(mm)		500				
Pin Configuration :		Pin	Signal	Cable Color			
		1	LED +	RED			
		2	N.C.				
		3	LED -	WHITE			
Application							
Illumination Type		Direct Illumination					



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

