
# **ILLUMINATOR DATA-ID**

### LBRQ-00-040-3-B-24V

TMS

#### **Lighting Dimension**



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	385 g
Length / Outer Diameter	120 mm
Width / Inner Diameter	70 mm
Thickness / Height	34.2 mm

## **ILLUMINATOR DATA-ID**

## LBRQ-00-040-3-B-24V

TMS

Optical Information						
Part Number			LBRQ-00-040-3-B-24V			
LED Color						
Wavelength	(nm)	470				
Intensity (±15%)	(Lux)	TBA	TBA	TBA		
Working Distance	(mm)	115	126	137		
Illumination (number of row)			3			
Illumination Active Area						
Active Length / Outer Diameter	(mm)	120				
Active Width / Inner Diameter	(mm)	70				
Emission angle	(deg.)	0				
Eye Safety Class ( IEC62471 )		l				
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	168				
Power Consumption	(W)	4.03				
Lighting casing temperature,						
Operating after 60 minutes	°C	ТВА				
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage	6.0					
(Constant voltage power supply)	(V)	Pulsing at 24	/DC to 48VDC, 0-10% Duty Cycle, Recommended	1 at 36VDC		
Pulse Current, (Max. 10msec)						
(Constant current power supply)	(mA)	504				
Max. Trigger Pulse Duration	(msec)	) 10				
Duty Cycle		0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, ST, SD and SDA Series				
CE Conformity		YES				
RoHS Compliance		YES				
Connection						
Connector Type (Default):	10000	JST SMR-03V				
Cable Length out from lighting :	(mm)	<b>D</b> :-	500	Cable Calar		
Pin Configuration :		Pin	Signal	Cable Color		
		1 2	LED + N.C.	RED		
		3				
		3	LED -	WHITE		
			Aug -			
Application						
Illumination Type		Direct Illumination				
Applicattion Use		General illumination, label inspection, character inspection, code recognition.				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



### **VISION** CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

