


LBRQ-00-160-6-G-24V

Lighting Dimension



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	800 g
Length / Outer Diameter	240 mm
Width / Inner Diameter	190 mm
Thickness / Height	34.2 mm



LBRQ-00-160-6-G-24V

Optical Information						
Part Number			LBRQ-00-160-6-G-24V			
LED Color			GREEN			
Wavelength	(nm)		525			
Intensity (±15%)	(Lux)	TBA TBA TBA				
Working Distance	(mm)	302	313	323		
Illumination (number of row)	()		6			
Illumination Active Area						
Active Length / Outer Diameter	(mm)	240				
Active Width / Inner Diameter	(mm)	190				
Emission angle	(deg.)		0			
Eye Safety Class (IEC62471)	(deg.)	EXEMPT				
Eye Surety class (1ECO2471)			EACHN 1			
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	1152				
Power Consumption	(W)		27.65			
Lighting casing temperature,	(**)	27.00				
Operating after 60 minutes	°C	TBA				
Strobe Mode Specification			MEG			
Pulse Operation			YES			
Max. Lighting Supply Voltage	(V)	Pulsing at 24	VDC to 48VDC, 0-10% Duty Cycle, Recommende	ed at 36VDC		
(Constant voltage power supply)	(*)	1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	The to love, o 10% but, eyele, necessimena	24 41 30 120		
Pulse Current, (Max. 10msec)	(0)	2455				
(Constant current power supply)	(mA)	3456				
Max. Trigger Pulse Duration	(msec)		10			
Duty Cycle	\	0-10%				
Additional Information						
Additional information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, ST, SD and SDA Series				
CE Conformity		YES				
RoHS Compliance		YES				
Connection						
Connector Type (Default):	, .	JST SMR-03V				
Cable Length out from lighting :	(mm)		500			
Pin Configuration :		Pin	Signal	Cable Color		
		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
Application						
		Direct Warriantina				
Illumination Type		Direct Illumination				
Applicattion Use		General illumination, label inspection, character inspection, code recognition.				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

