
LBRX-00-120-3-B-12V

Lighting Dimension





Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	95 g
Length /	
Outer Diameter	132 mm
Width /	
Inner Diameter	24.5 mm
Thickness	22 mm



LBRX-00-120-3-B-12V

Optical Information						
Part Number			LBRX-00-120-3-B-12V			
LED Color			BLUE			
Wavelength	(nm)	BLUE 470				
Intensity	(Lux)	18900 16600 14700				
Working Distance	(mm)	80	90	100		
Illumination (number of row)	(111111)	80	3	100		
Illumination Active Area						
Active Length / Outer Dia.	(mm)	120				
Active Width / Inner Dia.	(mm)	17.3				
Emission angle	(deg.)	0				
Eye Safety Class	(ueg.)	ll ll				
Electrical Information						
Lighting Supply Voltage		12V ± 2%				
(constant voltage mode)	(mr. A.)	200				
Continuous Current	(mA)	300				
Power Consumption	(W)	3.6				
Lighting casing temperature, Operating after 60 minutes	°C	53.3				
Strobe Mode Specification						
Pulse Operation			YES			
Max. Lighting Supply Voltage	() ()	Pulsing at 12VDC to 24VDC, 0-10% Duty Cycle				
(Constant voltage power supply)	(V)	Recommended at 18VDC				
Pulse Current, (Max. 10msec)						
(Constant current power supply)	(mA)	900				
Max. Trigger Pulse Duration	(msec)	10				
Duty Cycle	`/	0-10%				
Additional Information Additional Cooling Method Intensity Controller Selection CE Conformity RoHS Compliance		Attached to machine part for better heat dissipation ANG, SD, ST and SDA Series YES YES				
Connection						
Connector Type (Default):			JST SMR-02V			
Cable Length out from lighting :	(mm)		500			
Pin Configuration :	()	Pin	Signal	Cable Color		
The Configuration .		1	LED +	RED		
		2	LED -	WHITE		
Application						
Illumination Type	Direct Illumination					
Application Use	General illumination, label inspection, character inspection, code recognition					
ripplication osc	demand manimation, rated inspection, districted inspection, code recognition					



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

