


LBRX-00-120-3-G-24V

Lighting Dimension



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	95 g
Length / Outer Diameter	132 mm
Width / Inner Diameter	24.5 mm
Thickness / Height	22 mm



LBRX-00-120-3-G-24V

Optical Information						
Part Number			LBRX-00-120-3-G-24V			
LED Color			GREEN			
Wavelength	(nm)	525				
Intensity (±15%)	(Lux)	9420 8180 7070				
Working Distance	(mm)	80	90	100		
Illumination (number of row)	(111111)	80	3	100		
			3			
Illumination Active Area						
Active Length / Outer Diameter	(mm)	120				
Active Width / Inner Diameter	(mm)		17.3			
Emission angle	(deg.)	0				
Eye Safety Class (IEC62471)		EXEMPT				
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)			24V ± 2%			
Continuous Current	(mA)					
	(MA) (W)	126				
Power Consumption	(44)	3.02				
Lighting casing temperature,						
Operating after 60 minutes	°C		45.4			
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage						
(Constant voltage power supply)	(V)	Pulsing at 24	VDC to 48VDC, 0-10% Duty Cycle, Recommend	ed at 36VDC		
Pulse Current, (Max. 10msec)	-					
	(mA)	378				
(Constant current power supply)						
Max. Trigger Pulse Duration	(msec)	10				
Duty Cycle		0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, ST, SD and SDA Series				
CE Conformity		YES				
RoHS Compliance						
Kons Compilance	<u> </u>	YES				
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)	500				
	(111111)	Pin		Cable Calar		
Pin Configuration :	-		Signal	Cable Color		
	<u> </u>	1	LED+	RED		
	<u> </u>	2	N.C.			
		3	LED -	WHITE		
	T					
Application						
Illumination Type		Direct Illumination				
mummation type						
Applicattion Use		General illumination, label inspection, character inspection, code recognition.				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

