



ILLUMINATOR DATA-ID

LBRX-00-120-6-B-24V


Lighting Dimension













Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	130 g
Length / Outer Diameter	132 mm
Width / Inner Diameter	31.5 mm
Thickness / Height	22 mm



LBRX-00-120-6-B-24V

Optical Information						
Part Number		LBRX-00-120-6-B-24V				
LED Color		BLUE				
Wavelength	(nm)		470			
Intensity (±15%)	(Lux)	13900	9670	7810		
Working Distance	(mm)	100	130	150		
Illumination (number of row)	1		6			
Illumination Active Area	1					
Active Length / Outer Diameter	(mm)	(mm) 120				
Active Width / Inner Diameter	(mm)	26.3				
Emission angle	(deg.)	0				
Eye Safety Class (IEC62471)	(acg.)	ll l				
Electrical Information						
Lighting Supply Voltage			·			
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	216				
Power Consumption	(W)		5.18			
Lighting casing temperature,	```'	J.10				
Operating after 60 minutes	°C		53.5			
Strobe Mode Specification			VEC			
Pulse Operation	4		YES			
Max. Lighting Supply Voltage	(V)	Pulsing at 24	VDC to 48VDC, 0-10% Duty Cycle, Recommend	led at 36VDC		
(Constant voltage power supply)	(-/					
Pulse Current, (Max. 10msec)	(mA)		648			
(Constant current power supply)	(ma)		040			
Max. Trigger Pulse Duration	(msec)		10			
Duty Cycle		0-10%				
Additional Information						
Additional information						
Additional Cooling Method		Att	ached to machine part for better heat dissipat	ion		
Intensity Controller Selection			ANG, ST, SD and SDA Series			
CE Conformity			YES			
RoHS Compliance			YES			
Connection						
Connector Type (Default):	4		JST SMR-03V			
Cable Length out from lighting :	(mm)		500			
Pin Configuration :						
		Pin	Signal	Cable Color		
		1	LED +	RED		
		1 2	LED + N.C.	RED 		
		1	LED +	RED		
		1 2	LED + N.C.	RED 		
		1 2	LED + N.C.	RED 		
Application		1 2	LED + N.C.	RED 		
Application		1 2	LED + N.C. LED -	RED 		
Application Illumination Type Applicattion Use		1 2 3 3	LED + N.C.	RED WHITE		



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

