



ILLUMINATOR DATA-ID

LBRX-00-120-6-R-24V


Lighting Dimension













Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	130 g
Length / Outer Diameter	132 mm
Width / Inner Diameter	31.5 mm
Thickness / Height	22 mm



LBRX-00-120-6-R-24V

Optical Information						
Part Number		LBRX-00-120-6-R-24V				
LED Color			RED			
	(nm)					
Wavelength		630 11810 8610 6960				
Intensity (±15%)	(Lux)		8610			
Working Distance	(mm)	100	130	150		
Illumination (number of row)			6			
Illumination Active Area						
Active Length / Outer Diameter	(mm)	120				
Active Width / Inner Diameter	(mm)	26.3				
Emission angle	(deg.)	(deg.) 0				
Eye Safety Class (IEC62471)	EXEMPT					
Electrical Information						
Lighting Supply Voltage		1				
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)		234			
Power Consumption	(W)	5.62				
Lighting casing temperature,						
Operating after 60 minutes	°C	°C 56.2				
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage						
(Constant voltage power supply)	(V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle, Recommended at 36VDC				
Pulse Current, (Max. 10msec)	(mA)	702				
(Constant current power supply)	, ,					
Max. Trigger Pulse Duration Duty Cycle	(msec) 10					
Duty Cycle		0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ARGACINE TO HACTORINE PART FOR DECRET HEAT CONSEQUENTIAL CONTRACTORING TO ARGAIN AND ARG				
CE Conformity		YES				
RoHS Compliance						
nons comphance	YES					
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)	500				
Pin Configuration :	\	Pin	Signal	Cable Color		
Tim Comiguration .		1	Signal LED +	RED		
		2	N.C.	עבט		
		3	LED -	WHITE		
Application						
Illumination Type	Direct Illumination					
Applicattion Use	General illumination, label inspection, character inspection, code recognition.					



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

