


LBRX-00-200-3-G-24V

Lighting Dimension



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	140 g
Length / Outer Diameter	212 mm
Width / Inner Diameter	24.5 mm
Thickness / Height	22 mm



LBRX-00-200-3-G-24V

Optical Information							
Part Number			LBRX-00-200-3-G-24V				
LED Color			GREEN				
Wavelength	(nm)		525				
Intensity (±15%)	(Lux)	12500	11200	10200			
Working Distance	(mm)	80	90	100			
Illumination (number of row)			3				
Illumination Active Area							
Active Length / Outer Diameter	(mm)		200				
Active Width / Inner Diameter	(mm)	17.3					
Emission angle	(deg.)						
Eye Safety Class (IEC62471)		EXEMPT					
Electrical Information							
Lighting Supply Voltage							
(constant voltage mode)			24V ± 2%				
Continuous Current	(mA)						
Power Consumption	(W)		210 5.04				
Lighting casing temperature,	(**)		5.04				
Operating after 60 minutes	°C	47.1					
Operating after 60 minutes	C	<u> </u>	47.1				
Strobe Mode Specification							
Pulse Operation		YES					
Max. Lighting Supply Voltage	(V)	Pulcing at 24V/DC to 49V/DC 0.10% Duty Cycle Personmented at 26V/DC					
(Constant voltage power supply)	(V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle, Recommended at 36VDC					
Pulse Current, (Max. 10msec)		400					
(Constant current power supply)	(mA)	630					
Max. Trigger Pulse Duration	(msec)	10					
Duty Cycle	(111500)	0-10%					
Additional Information							
Additional Cooling Method		Attached to machine part for better heat dissipation					
Intensity Controller Selection		ANG, ST, SD and SDA Series					
CE Conformity		YES					
RoHS Compliance	YES						
Connection							
Connector Type (Default):		JST SMR-03V					
Cable Length out from lighting :	(mm)		500				
Pin Configuration :		Pin	Signal	Cable Color			
		1	LED +	RED			
		2	N.C.				
		3	LED -	WHITE			
Application							
Illumination Type		Direct Illumination					
Applicattion Use		General illumination, label inspection, character inspection, code recognition.					
·							



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

