


ILLUMINATOR DATA-ID

LBRX-00-200-6-G-24V

Lighting Dimension



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	210 g
Length / Outer Diameter	212 mm
Width / Inner Diameter	31.5 mm
Thickness / Height	22 mm



LBRX-00-200-6-G-24V

Optical Information						
Part Number		100V 00 200 C C 24V				
LED Color		LBRX-00-200-6-G-24V GREEN				
	(nm)					
Wavelength		525 17700 13100 10900				
Intensity (±15%)	(Lux)		13100			
Working Distance	(mm)	100	130	150		
Illumination (number of row)			6			
Illumination Active Area						
Active Length / Outer Diameter	(mm)					
Active Width / Inner Diameter	(mm)					
Emission angle	(deg.)	(deg.) 0				
Eye Safety Class (IEC62471)	EXEMPT					
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	360				
Power Consumption	(W)	8.64				
Lighting casing temperature,						
Operating after 60 minutes	°C	°C 54.6				
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage						
(Constant voltage power supply)	(V)	Pulsing at 24	IVDC to 48VDC, 0-10% Duty Cycle, Recommend	ed at 36VDC		
Pulse Current, (Max. 10msec)	(mA)	nA) 1080				
(Constant current power supply)		· /				
Max. Trigger Pulse Duration	(msec) 10					
Duty Cycle	0-10%					
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, ST, SD and SDA Series				
CE Conformity		YES				
RoHS Compliance	YES					
Connection						
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)		500			
Pin Configuration :	. ,	Pin	Signal	Cable Color		
,		1	LED+	RED		
		2	N.C.			
		3	LED -	WHITE		
			220	***************************************		
Application						
Illumination Type	Direct Illumination					
Applicattion Use		General illumination, label inspection, character inspection, code recognition.				
	, and the state of					



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

