


LBS45-00-135-3-R-24V

Lighting Dimension





Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	90 g
Length / Outer Diameter	144 mm
Width / Inner Diameter	24 mm
Thickness / Height	18 mm



LBS45-00-135-3-R-24V

Optical Information						
Part Number		LBS45-00-135-3-R-24V				
LED Color			RED			
Wavelength	(nm)		630			
Intensity (±15)	(Lux)	21300 19800 16800				
Working Distance	(mm)	80	90	100		
Illumination (number of row)	(******/		3			
Illumination Active Area			·			
Active Length / Outer Dia.	(mm)	135				
Active Width / Inner Dia.	(mm)	19.4				
Emission angle	(deg.)	0				
Eye Safety Class (IEC62471)	(3.207	EXEMPT				
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	135				
Power Consumption	(W)	3.24				
Lighting casing temperature,	(,	J.24				
Operating after 60 minutes	°C	49.4				
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage		Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle				
(Constant voltage power supply)	(V)	Recommended at 36VDC				
Pulse Current, (Max. 10msec)						
(Constant current power supply)	(mA)	405				
Max. Trigger Pulse Duration	(msec)	10				
Duty Cycle	(III3ec)	0.10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, SD, ST & SDA series				
CE Conformity		YES				
RoHS Compliance		YES				
·						
Connection						
Connector Type (Default):			JST SMR-03V			
Cable Length out from lighting :	(mm)	500				
Pin Configuration :	(11111)	Pin	Signal	Cable Color		
Pin Configuration :		1	LED +	RED		
		2	N.C.			
		3	N.C. LED -	WHITE		
		3	LEU -	WHILE		
Application						
Illumination Type		Direct Illumination				
Application Use		General illumination, label inspection, character inspection, code recognition				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

