


Lighting Dimension





Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	32 g
Length / Outer Diameter	38 mm
Width / Inner Diameter	15 mm
Thickness / Height	10.3 mm



PRE-ILLUMINATOR DATA (ID)

LSW-15-038-2-G-24V

Optical Information						
			ISW 15 039 3 C 34V			
Part Number ED Color		LSW-15-038-2-G-24V				
Wavelength	(nm)	GREEN 525				
ntensity (±15)	(Lux)	TBA	TBA	ТВА		
Vorking Distance	(mm)	8	28	47		
llumination (number of row)	()		2			
Ilumination Active Area						
Active Length / Outer Dia.	(mm)	38				
Active Width / Inner Dia.	(mm)	15				
Emission angle	(deg.)	15				
Eye Safety Class (IEC62471)			EXEMPT			
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	90				
Power Consumption	(W)	2.16				
Lighting casing temperature,						
Operating after 60 minutes	°C	ТВА				
Strobe Mode Specification						
Pulse Operation		YES				
Лах. Lighting Supply Voltage Constant voltage power supply)	(∨)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle Recommended at 36VDC				
Pulse Current, (Max. 10msec)						
Constant current power supply)	(mA)	270				
Max. Trigger Pulse Duration	(msec)	10				
Duty Cycle	(0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
ntensity Controller Selection		ANG, SD, SDA and ST series				
CE Conformity		YES				
RoHS Compliance		YES				
Connection						
Connector Type (Default):		JST SMR-03V				
able Length out from lighting :	(mm)		500			
in Configuration :		Pin	Signal	Cable Color		
		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
Application						
Illumination Type		Direct Illumination				
Application Use		substrate inspection, label inspection, flat surface, fiducially recognition				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

