


## **ILLUMINATOR DATA-ID**

### LSW-15-050-2-G-24V

### **Lighting Dimension**



RŏHS	(	F
COMPLIANT		•

Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	40 g
Length / Outer Diameter	50 mm
Width / Inner Diameter	28 mm
Thickness / Height	16 mm



# ILLUMINATOR DATA-ID

## LSW-15-050-2-G-24V

Optical Information						
Part Number			LSW-15-050-2-G-24V			
LED Color			GREEN			
Wavelength	(nm)		525			
Intensity (±15%)	(Lux)	20600	18300	16300		
Working Distance	(mm)	59	64	69		
Illumination (number of row)	· /		2			
Illumination Active Area	i i					
Active Length / Outer Diameter	(mm)		44			
Active Width / Inner Diameter	(mm)		28.8			
Emission angle	(deg.)		15			
Eye Safety Class ( IEC62471 )	(==0/	EXEMPT				
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)			24V ± 2%			
Continuous Current	(mA)		105			
Power Consumption	(W)		2.52			
Lighting casing temperature,		L.JL				
Operating after 60 minutes	°C		50.5			
Strobe Mode Specification						
Pulse Operation			YES			
Max. Lighting Supply Voltage	0.0			1 - 1 - 20 / 10 0		
(Constant voltage power supply)	(V)	Pulsing at 24	VDC to 48VDC, 0-10% Duty Cycle, Recommende	ed at 36VDC		
Pulse Current, (Max. 10msec)	1 1					
(Constant current power supply)	(mA)		315			
Max. Trigger Pulse Duration	(msec)		10			
Duty Cycle	,500/		0-10%			
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, ST, SD and SDA Series				
CE Conformity			YES			
RoHS Compliance		YES				
Connection						
Connector Type (Default):	T		JST SMR-03V			
Cable Length out from lighting :	(mm)		500			
Pin Configuration :	()	Pin	Signal	Cable Color		
		1	LED +	RED		
		2	N.C.			
	<del>                                     </del>	3	LED -	WHITE		
	1	J	LLU -	vviIIIL		
Application						
Illumination Type		Direct Illumination				
A collection of the	Substrate inspection, label inspection, flat surface, fiducially recognition.					
Applicattion Use						



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



### **VISION** CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

