



Lighting Dimension





ROHS CE

Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	100 g
Length / Outer Diameter	70 mm
Width / Inner Diameter	32 mm
Thickness / Height	20.5 mm

ILLUMINATOR DATA-ID

LSW-15-070-3-IR940-24V

TMS

Optical Information						
Part Number			LSW-15-070-3-IR940-24V			
LED Color		IR				
Wavelength	(nm)		940			
Intensity (±15%)	(Lux)		NA			
Working Distance	(mm)	NA				
Illumination (number of row)		3				
Illumination Active Area						
Active Length / Outer Diameter	(mm)	n) 62				
Active Width / Inner Diameter	(mm)	37				
Emission angle	(deg.)	.) 15				
Eye Safety Class (IEC62471)		EXEMPT				
	n.					
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	120				
Power Consumption	(W)	2.88				
Lighting casing temperature,						
Operating after 60 minutes	°C	47.5				
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage			Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle			
(Constant voltage power supply)	(∨)	Puising at 24VDC to 48VDC, 0-10% Duty Cycle Recommended at 36VDC				
Pulse Current, (Max. 10msec)						
(Constant current power supply)	(mA)	360				
	(mcoc)					
Max. Trigger Pulse Duration Duty Cycle	(msec)	(msec) 10 0-10%				
			010/0			
Additional Information						
Additional Cooling Method	_					
Intensity Controller Selection		Attached to machine part for better heat dissipation				
CE Conformity		ANG, ST, SD and SDA Series				
RoHS Compliance		YES				
Non's compliance			115			
Connection						
	_					
Connector Type (Default):		JST SMR-03V				
Cable Length out from lighting :	(mm)	0.	500	Colda C 1		
Pin Configuration :		Pin	Signal	Cable Color		
		12	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
		the second se				
		· · ·				
Application						
Illumination Type		IR Illumination				
Applicattion Use		General illumination, label inspection, character illumination, code recognition				
		General munimation, laber inspection, chalacter munimation, coue recognition				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

