

LSW-30-040-1-UV-24V

Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	<u>-</u>
Length / Outer Diameter	46 mm
Width / Inner Diameter	20 mm
Thickness	16.5 mm



LSW-30-040-1-UV-24V

Optical Information						
•						
Part Number			LSW-30-040-1-UV-24V			
LED Color			UV			
Wavelength	(nm)		375			
Intensity (±15%)	(Lux)	NA NA				
Working Distance	(mm)	NA NA				
Illumination (number of row)			1			
Illumination Active Area						
Active Length / Outer Diameter	(mm)	39				
Active Width / Inner Diameter	(mm)	22.2				
Emission angle	(deg.)	30				
Eye Safety Class (IEC62471)	<u> </u>		ТВА			
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)			24V ± 2%			
Continuous Current	(mA)	TBA				
Power Consumption	(W)	TBA				
Lighting casing temperature,	1	IDA				
Operating after 60 minutes	°C	TBA				
operating after 60 minutes	C		TUA			
Strobe Mode Specification						
Pulse Operation		VEC				
			YES			
Max. Lighting Supply Voltage (Constant voltage power supply)	(V)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle, Recommended at 36VDC				
Pulse Current, (Max. 10msec)	(mA)					
(Constant current power supply)		ТВА				
Max. Trigger Pulse Duration	(msec)	(msec) 10				
Duty Cycle		0-10%				
Additional Information						
Additional Coaling Stathard			**************************************	ion		
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, SD, ST & SDA Series				
CE Conformity		YES				
RoHS Compliance			YES			
Connection						
Connector Type (Default):		JST SMR-03V				
Connector Type (Default): Cable Length out from lighting :	(mm)		500			
Pin Configuration :	(11111)	Pin	Signal	Cable Color		
Till Configuration .	 	1	Signal LED +	RED		
		2	N.C.			
	 	3	N.C. LED -	WHITE		
		3	LEU -	WHILE		
		· ·				
Application						
		Direct Illumination				
Illumination Type			Direct Illumination			



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

