


Lighting Dimension



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	60 g
Length / Outer Diameter	54 mm
Width / Inner Diameter	23.5 mm
Thickness / Height	18.3 mm

ILLUMINATOR DATA-ID

LSW-30-050-2-R-24V

TIT

Optical Information							
Part Number			LSW-30-050-2-R-24V				
LED Color			RED				
Wavelength	(nm)	630					
Intensity (±15%)	(Lux)	92900	81000	62000			
Working Distance	(mm)	19	24	29			
Illumination (number of row)			2				
Illumination Active Area							
Active Length / Outer Diameter	(mm)	46					
Active Width / Inner Diameter	(mm)	26.3					
Emission angle	(deg.)	30					
Eye Safety Class (IEC62471)		EXEMPT					
Electrical Information							
Lighting Supply Voltage							
Lighting Supply Voltage			24/7 + 26/				
(constant voltage mode)	(== A)	24V ± 2%					
Continuous Current Power Consumption	(mA) (W)	90 2.16					
Lighting casing temperature,	(vv)	2.10					
Operating after 60 minutes	°C	46.6					
Operating arter of minutes	Ľ	U 40.0					
Strobe Mode Specification							
Pulse Operation		YES					
Max. Lighting Supply Voltage	(∨)	Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle, Recommended at 36VDC					
(Constant voltage power supply)	(-)						
Pulse Current, (Max. 10msec)	(mA)	270					
(Constant current power supply)							
Max. Trigger Pulse Duration	(msec)						
Duty Cycle		0-10%					
Additional Information							
Additional Cooling Method		Attached to machine part for better heat dissipation					
Intensity Controller Selection		ANG, ST, SD and SDA Series					
CE Conformity		YES					
RoHS Compliance		YES					
Connection							
Connector Type (Default):		JST SMR-03V					
Cable Length out from lighting :	(mm)	500					
Pin Configuration :	(1111)	Pin	Signal	Cable Color			
		1	LED +	RED			
		2	N.C.				
		3	LED -	WHITE			
		,					
Application							
Illumination Type		Direct Illumination					
Applicattion Use		Substrate inspection, label inspection, flat surface, fiducially recognition.					



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

