


## LSW-45-050-2-R-24V

Lighting Dimension



Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0 - 45°C, Humidity 20-85%
Weight	70 g
Length / Outer Diameter	54 mm
Width / Inner Diameter	25 mm
Thickness / Height	20 mm

## **ILLUMINATOR DATA-ID**

## LSW-45-050-2-R-24V

TMS

Optical Information						
Part Number			LSW-45-050-2-R-24V			
LED Color			RED			
Wavelength	(nm)	630				
Intensity (±15%)	(Lux)	118500	112400	90600		
Working Distance	(mm)	12	17	22		
Illumination (number of row)			2			
Illumination Active Area						
Active Length / Outer Diameter	(mm)	46				
Active Width / Inner Diameter	(mm)	30.7				
Emission angle	(deg.)	45				
Eye Safety Class ( IEC62471 )		EXEMPT				
Electrical Information						
Lighting Supply Voltage						
(constant voltage mode)		24V ± 2%				
Continuous Current	(mA)	24v ± 2% 90				
Power Consumption	(W)	2.16				
Lighting casing temperature,		E AV				
Operating after 60 minutes	°C	50.5				
Strobe Mode Specification						
Pulse Operation		YES				
Max. Lighting Supply Voltage						
(Constant voltage power supply)	(∨)	Pulsing at 24	VDC to 48VDC, 0-10% Duty Cycle, Recommende	ed at 36VDC		
Pulse Current, (Max. 10msec)		-				
(Constant current power supply)	(mA)	270				
Max. Trigger Pulse Duration	(msec)	10				
Duty Cycle	(IIISCC)	(mset) 10 0-10%				
Additional Information						
Additional Cooling Method		Attached to machine part for better heat dissipation				
Intensity Controller Selection		ANG, ST, SD and SDA Series				
CE Conformity		YES				
RoHS Compliance		YES				
Connection						
Connector Type (Default):	_	JST SMR-03V				
Cable Length out from lighting :	(mm)	500				
Pin Configuration :	()	Pin	Signal	Cable Color		
		1	LED +	RED		
		2	N.C.			
		3	LED -	WHITE		
		-	• • • • • • • • • • • • • • • • • • •			
			and the second se			
Application						
Illumination Type		Direct Illumination				
Applicattion Use		Substrate inspection, label inspection, flat surface, fiducially recognition.				



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@visionconsultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



## **VISION** CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com Scan me to visit machine-vision-shop

